

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/646,808	08/25/2003	Jongyoon Han	SD-8401.1	1313	
51917 7590 11/07/2006			EXAMINER		
	BRELL & RUSSELL	NOGUEROLA, ALEXANDER STEPHAN			
1850 M STREE # 800	T, NW		ART UNIT	PAPER NUMBER	
WASHINGTON	N, DC 20036		1753		

DATE MAILED: 11/07/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		10/646,808	HAN ET AL.			
		Examiner	Art Unit			
		ALEX NOGUEROLA	1753			
Period fo	The MAILING DATE of this communication app or Reply	pears on the cover sheet with the c	orrespondence address			
WHIC - Exter after - If NO - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATE of time may be available under the provisions of 37 CFR 1.15 SIX (6) MONTHS from the mailing date of this communication. In period for reply is specified above, the maximum statutory period or reto reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timused the sound will expire SIX (6) MONTHS from a cause the application to become ABANDONE!	l. lely filed the mailing date of this communication. (35 U.S.C. § 133).	. .		
Status						
1)□	Responsive to communication(s) filed on					
2a)□	•	action is non-final.				
3)						
٠,۵	closed in accordance with the practice under E					
Dispositi	on of Claims	оприсаной мо.	The grown matter of			
-	Claim(s) <u>1-40</u> is/are pending in the application.					
	4a) Of the above claim(s) is/are withdraw	wn from consideration.		•		
· —	Claim(s) is/are allowed.	•				
6)⊠	Claim(s) <u>1-40</u> is/are rejected. Claim(s) is/are objected to	a de la casa de paísión de la casa de la cas La casa de la casa de				
8)□	Claim(s) are subject to restriction and/o	r election requirement.	A April 1			
		mur inib comwidinic				
9)[The specification is objected to by the Examine	r.	i de vi			
10)🛛	The drawing(s) filed on <u>25 August 2003</u> is/are:	a)⊠ accepted or b) objected t	o by the Examiner.			
	Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).			
Stater	Replacement drawing sheet(s) including the correct	ion is required if the drawing(s) is obj	ected to. See 37 CFR 1.121(d).	P		
11)	The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.	-		
Driority (ınder 35 U.S.C. § 119	The State of the S		*		
42)	Acknowledgment is made of a claim for foreign	excust for formal mattern pro	seculio ^h as cours are n			
_	☐ All b)☐ Some * c)☐ None of:	priority under 35 0.0.0. § 115(a)	-(u) or (i).	,		
a)	1. ☐ Certified copies of the priority document	s have been received				
•	2. Certified copies of the priority document	•	on No	٠.		
. •	3. Copies of the certified copies of the prior					
	application from the International Bureau					
* 5	See the attached detailed Office action for a list		d .			
- /:	en e					
·			,			
•			**************************************			
Attachmen	t(s)	<u> </u>	•			
2) Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08)	4) Interview Summary Paper No(s)/Mail Da	ite	₽		
Pape	r No(s)/Mail Date 1 1 1 1 1 1 1 1	6) Other:				

U.S. Patent and Trademark Office PTOL-326 (Rev. 08-06)

Art Unit: 1753

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.
- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

the relections englished by the section of the least the section

and it a quotation of the appropriate paragraph and a second little

2. Claims 1, 2, 8, 16, 25, 33, 35, and 38-40 are rejected under 35 U.S.C. 102(a) as being anticipated by Sanders et al. WO 02/48177 A10 ("Sanders").

Sanders discloses a multidimensional electrophoresis device (16), for isoelectric patented or described in a printed patential device in the control of the

the United States to hite the invention by the applicant for patention (2) a patent of Cauching the acquired the patention of the control of

to exhapt that an advance used application had used in the control of head or set to a member of the application of purposes or mis supsection of an application of the decided Statem of the upper control of the purposes of the extra the control of the control o

Art Unit: 1753

the abstract and page 05, lines 04-24. Note that claims 1 and 2 do not actually require polyacrylamide gel only that the device be capable of holding such a gel, which the device of Sanders is since the microchannel contains a separation gel throughout its length. Note also the disclosure of SDS on page 6, first full paragraph. For claim 16 note that a loading structure is implied by page 05, lines 25-26, which discloses introducing sample into the end of the focusing section 14. For claim 33 also see page 01: 01-06. For claim 35 also see the abstract and page 05, line 25 – page 06, line 06. For claims 38 and 40 also see page 06, lines 08-15. For claim 39 also see page 05, lines 26-27, which discloses introducing sample in the end of the focusing section.

3. Claims 1, 2, 8, 16-18, 25, and 33 are rejected under 35 U.S.C. 102(b) as being

ings 65. Thes 04-24. Note that claims 1 and 1 in including light received

Michigan divini

clearly anticipated by Wiktorowicz et al. (US 6,214,191 B1) ('Wiktorowicz'').

Addressing claims 1 and 25, Wiktorowicz discloses a multidimensional and structure is implied by page 95, lines 2000 which discloses electrophoresis device (100), for isoelectric focusing (IEF), or polyacrylamide gelectrophoresis (PAGE), or both of a fluid sample, comprising at least one microchannel having a length and a solid sieving material. See the abstract; Figure 4; col. 06: 27-38; for claim 34 also see page 05 col. 07:25-30; col. 07:63-67; col. 09:58 – col. 10:08; and col. 13:66 – col. 14:34.

Addressing claims 2 and 8, for the additional limitation of this claim see col. 16:24-39; and col. 13:66 – col. 14:24.

・67 Wiktorowich et al. 代語 8 2

10-15, 21

Art Unit: 1753

Addressing claims 16 and 17, for the additional limitations of these claims see col. 07:25-30 and Figure 4.33

Addressing claim 18, for the additional limitation of this claim note channel 160 in Figure 4.

Addressing claim 33, for the additional limitation of this claim see the abstract.

in No inbert 10/0 (8 % 5

4. Claims 1, 2, 8, 12, 16-22, 25, and 38-40 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Manz et al. (US 5,599,432) ("Manz").

Addressing claims 1 and 25, Manz discloses a multidimensional electrophoresis chain 18, for the additional limens on this chain an charner 160 and device (Figure 1), for isoelectric focusing (IEF), or polyacrylamide gel electrophoresis (PAGE), or both of a fluid sample, comprising at least one microchannel having a length and a solid sieving material. See the abstract; Figure 1; col. 05:55-59; col. 05:13-27; Additional and 133, for the radio constitution of the col. 07:66 – col. 08:12; col. 09:33-54; col. 03:18-23; and col. 02:06-36.

Addressing claims 2 and 8, for the additional limitation of this claim see col. 03:18-24; col. 09:33-55; and col. 02:06-36.

.

12 (16-22), 25. and 36-40 are rejected units (17)

하는 15, (*Manz') -

The first of the said of the s

tor isopractic, rocketter (file), or polyaorytamide, gen electrophoresis

് ii l sample, compresing at least one micros വഴ

អស្ស a នៅថ្ងៃដែរ

Art Unit: 1753

Addressing claim 12, for the additional limitation of this claim see claim 11 of Manz.

Addressing claims 16 and 17, for the additional limitations of these claims see col.07:09-12 and Figure 1. Note that inlet 1 is in fluid communication with several microchanels and is thus shared with at two microchannels.

Addressing claim 18, for the additional limitation of this claim note left channel "1" in Figure 1.

Country 12 (10) to the control anniquency of a confidence chain of the

Addressing claims 19 and 20, for the additional limitations of these claims note channel "21" in Figure 1. Note that claim 20 does not actually require one of the listed materials.

his shared with activo microchannels.

Addressing claim 21, for the additional limitation of this claim note right channel "1" in Figure 1.

and a second remained to the measure regarded action of this closure acts left channel for

grant the first transfer of the same stage of th

must be the informed. Note more storm 20 does not actually require one of the listed

Art Unit: 1753

Addressing claim 22, for the additional limitation of this claim note injection device "3" in Figure 1 and see col. 06:61-66 and col. 07:13-30. Note that claim 22 does not require the step of processing the sample.

Addressing claims 38 and 40, for the additional limitations of these claims see col. 02:06-36, note SDS.

Addressing claim 39, for the additional limitation of this claim see col. 07:30-37.

s saint 22, for the additional School of the art in note intervi-

5. Claims 1-5, 8, 12, 16-27, and 33 are rejected under 35 U.S.C. 102(e) as being clearly anticipated by Lee et al. (US 6,974,526 B2) ("Lee").

Addressing claims 1 and 25, Lee discloses a multidimensional electrophoresis device, for isoelectric focusing (IEF), or polyacrylamide gel electrophoresis (PAGE), or both of a fluid sample, comprising at least one microchannel having a length and a solid sieving material. See the abstract; Figures 2-9; col. 05:26-30; col. 01:25-37; col. 05:46-49; and col. 12:13-19.

Opport 19 to 12, 16-27 comply the responsed fundamental for the control of

Addressing claims 2 and 8, for the additional limitation of this claim see col. 03:08-13.

1 Ly Lee et al. (US 6,974 526 B2 75 - 1

1 and 5 by the area conditionated and a compression

11.

Art Unit: 1753

Addressing claims 3-5, for the additional limitations of these claims see col. 05:17-30.

Addressing claim 12, for the additional limitation of this claim see col. 08:05-19.

Addressing claims 16 and 17, for the additional limitations of these claims see col. 04:48-51 and Figures 1-10.

Addressing claim 18, for the additional limitation of this claim note channel 3 in Figures 2-9.

Addressing claims 19 and 20, for the additional limitations of these claims see col. 06:07-11.

Address of take 12 for the Assessment manner of this classes of the Co. Of Co. of 19

Addressing claim 21, for the additional limitation of this claim note the embodiments in Figures 8 and 10 in which channels "4" and "11" are grouped in threes or fours. One of each group of three or four channels can be construed as a bypass channel for the other channels in the group.

Addressing claim 23, for the additional limitation of this claim see col. 06:07-12.

indunero in utalian. 19 in 171, for me additional imitations of clean damps to a

Art Unit: 1753

Addressing claims 24 and 26, for the additional limitations of this claims see col. 02:20-33 and col. 07:52-65.

Addressing claim 27, for the additional limitation of this claim note that the membrane is a polymeric strip that lies across the underlying channels. See Figure 10. If pressure were applied to the membrane it would any channels under the region in which pressure was applied.

Addressing claim 33, for the additional limitations of this claims see the abstract.

This is 24 by the first a button of limitations of this chains see

positive training the major and the first of a

Addressing claims 38-40, for the additional limitations of these claims see col. 05:45-49 and col. 06:13-20.

tipher 10 as

Mark Market

medited and applied to the Rejections - 35 USC § 103 more uprest the region, in

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 1753

- 7. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 8. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a). Specific consists of the prior art each me creams at issue applicability of the layer of order to skill at the contrary.

9. Claims 3-7 and 28-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sanders et al. WO 02/48177 A10 ("Sanders").

as and objective

throne precent in the application indicating

Addressing claims 3-7, Sanders discloses a multidimensional electrophoresis device (16), for isoelectric focusing (IEF), or polyacrylamide gel electrophoresis (PAGE), or both of a fluid sample, comprising at least one microchannel having a length and a solid sieving material. See the abstract and page 05, lines 04-24. Note that claims 1

Art Unit: 1753

The Control

and 2 do not actually require polyacrylamide gel only that the device be capable of holding such a gel, which the device of Sanders is since the microchannel contains a separation gel throughout its length. Note also the disclosure of SDS on page 6., first full paragraph.

Sanders does not mention having the length be within the claimed ranges; however, Sanders does disclose having the device be only 20 mm x 40 mm and that the microchannel may be straight or curved. See page 10, lines 16-19 and page 03, lines 23-24. Thus, barring evidence to the contrary, such as unexpected results, the claimed length ranges care Ceither carbitrary, or just a matter of optimizing the microchannel length for improved separation to provide a smaller pH gradient, that is many isoelectric sections, or to increase the separation path for the gel electrophoresis, which will improve the resolution of the sample components.

Addressing claims 28-32, Sanders does not mention the time for performing IEF, SDS-PAGE, or native PAGE, although Sanders does disclose measuring analyte velocity. See page 09, second full paragraph. However, barring evidence to the contrary, such as unexpected results, the time for performing one of these separations will depend on the desired resolution and separation conditions optimized for this resolution. For example, it was known in the art that the higher the electrophoresis voltage the quicker the separation, however, resolution would be adversely affected at higher voltages because of Joule heating. Also, a shorter microchannel lengths will

Art Unit: 1753

reduce the separation time however the separation resolution will not be as great as for longer microchannels, other things being equal.

Claims 3-7, 28-33, 35 are rejected under 35 U.S.C. 103(a) as being unpatentable 10. over Wiktorowicz et al. (US 6,214,191 B1) ('Wiktorowicz").

Addressing claims 3-7, Wiktorowicz discloses a multidimensional electrophoresis device (100), for isoelectric focusing (IEF), or polyacrylamide gel electrophoresis (PAGE), or both of a fluid sample, comprising at least one microchannel having a length and a solid sieving material. See the abstract; Figure 4; col. 06: 27-38; col. 07:25-30; col. 07:63-67; col. 09:58 - col. 10:08; and col. 13:66 - col. 14:34.

Wiktorowicz does not mention the claimed length ranges; however, Wiktorowicz does disclose that the separation cavity length may be 1 to 20 centimeters, which overlaps or has a shared end point with at least the ranges of claims 3-5. See col. 08:06-29. Since Wiktorowicz also discloses that the channel widths may be only 0.25mm, barring evidence to the contrary, such as unexpected results, the claimed length ranges are either arbitrary, or just a matter of optimizing the microchannel length for improved separation to provide a smaller pH gradient, that is many isoelectric sections, or to increase the separation path for the gel electrophoresis, which will improve the resolution of the sample components.

end officers the the separation charge may be found

course shared and notativith of tempoles larges are soon 3.5 to see 69

Art Unit: 1753

Addressing claims 28-32, Wiktorowicz does not mention the time for performing IEF, SDS-PAGE, or native PAGE. However, barring evidence to the contrary, such as unexpected results, the time for performing one of these separations will depend on the desired resolution and separation conditions optimized for this resolution. For example, it was known in the art that the higher the electrophoresis voltage the quicker the separation, however, resolution would be adversely affected at higher voltages because of Joule heating. Also, a shorter microchannel lengths will reduce the separation time however the separation resolution will not be as great as for longer microchannels, other things being equal.

Addressing claim 33, Wiktorowicz does not mention a sample comprising protein; however, it would have been obvious to one with ordinary skill in the art at the time of the invention to use the device with a sample comprising at least one protein because Wiktorowicz discloses isoelectric focusing is commonly used for protein separations.

supportation how that resolution what be adversely affected at inquer voltages because

Addressing claims 35, Wiktorowicz discloses a multidimensional electrophoresis device (100), for isoelectric focusing (IEF), or polyacrylamide gel electrophoresis (PAGE), or both of a fluid sample, comprising at least one microchannel having a length and a solid sieving material. See the abstract; Figure 4; col. 06: 27-38; col. 07:25-30; col. 07:63-67; col. 09:58 – col. 10:08; and col. 13:66 – col. 14:34.

Add 1950. Miln. 33, Washington at i–schot mention a sample comprising protein.

Art Unit: 1753

Wiktorowicz clearly intends for the device to be used. See the abstract and col. 04:03-25 and col. 12:10-16.

11. Claims 3-7, 28-32, 34, 35, and 37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Manz et al. (US 5,599,432) ("Manz").

Addressing claims 3-7, Manz discloses a multidimensional electrophoresis device (Figure 1), for isoelectric focusing (IEF), or polyacrylamide gel electrophoresis (PAGE), or both of a fluid sample, comprising at least one microchannel having a length and a solid sieving material. See the abstract; Figure 1; col. 05:55-59; col. 05:13-27; col. 07:66 – col. 08:12; col. 09:33-54; col. 03:18-23; and col. 02:06-36.

Manz does not mention the claimed length ranges; however, Manz discloses that the channel widths may be only 1 micron wide. See col. 05:55-58. So barring evidence to the contrary, such as unexpected results, the claimed length ranges are either arbitrary, or just a matter of optimizing the microchannel length for improved separation to provide a smaller pH gradient, that is many isoelectric sections, or to increase the separation path for the gel's electrophoresis, which will improve the resolution of the sample components.

Chalerial. See the absolute Figure 11 or Left

to 12; col. 09:33-54; col. 03:18-23; and rol. 02:03:33

to t months the control of hearth inforced by Joven Manz disclosed

some radio to the contracting, such that the stage safety results, the stage

the notices of must a matter of optimizing the infraction to the for improved

Art Unit: 1753

Addressing claims 28-32, Manz does not mention the time for performing IEF, SDS-PAGE, or native PAGE, although Manz notes that capillary electrophoresis can be performed under one minute in microchips. See col. 02:61-66. However, barring evidence to the contrary, such as unexpected results, the time for performing one of these separations will depend on the desired resolution and separation conditions optimized for this resolution. For example, it was known in the art that the higher the electrophoresis voltage the quicker the separation, however, resolution would be adversely affected at higher voltages because of Joule heating. Also, a shorter microchannel lengths will reduce the separation time however the separation resolution will not be as great as for longer microchannels, other things being equal.

20 The January PAGE, although Manz noted that hapillars in the hypothesis benefit

Addressing claim 34, Manz discloses a multidimensional electrophoresis device (Figure 1), for isoelectric focusing (IEF), or polyacrylamide gel electrophoresis (PAGE), or both of a fluid sample, comprising at least one microchannel having a length and a solid sieving material. See the abstract, Figure 1; col. 05:55-59; col. 05:13-27; col. 07:66 – col. 08:12; col. 09:33-54; col. 03:18-23; and col. 02:06-36.

was 20 CF of which the not wanted the first of a larger day of

Manz also discloses conducting IEF in at least one horizontal channel 3 – Figure 6) between two electrodes (in reservoirs 5 and 6) and SDS-PAGE or PAGE in at least one vertical channel (11) between two pairs of electrodes (in reservoirs 35 and 37), wherein one pair of the electrodes is placed above the two electrodes of the horizontal microchannel and the other pair of electrodes is placed below the two electrodes

The Country of the Country of the Wing at the Miles

Administration 34, Mai zentra se a multidimetrilo.

tor isoelectric focusing (IEF) or soft acrytomas, and directrophorous

Art Unit: 1753

(Figure 6). See also col. 05:61 – col. 06:04 and col. 10:44-49. Manz does not mention conducting IEF when the electrodes on the right side are of one voltage and the electrodes on the left side are of another voltage preventing the fluid sample from migrating through the vertical microchannel. However, it would have been obvious to one with ordinary skill in the art at the time of the invention to do so because this will allow the sample to undergo complete IEF separation before undergoing PAGE. If the two pairs of electrodes were at voltages that allowed migration through a vertical channel then sample components focused along the IEF channel at the intersections with the vertical channel would be separated in the vertical channel before the sample was completely separated by IEF. This may adversely affect the electrical field along the IEF channel because of competing fields and changing ionic strength in the vertical channel.

Addressing claims 35 and 37, Manz discloses a multidimensional electrophoresis device (Figure 1), for isoelectric focusing (IEF), or polyacrylamide gel electrophoresis (PAGE), or both of a fluid sample, comprising at least one microchannel having a length and a solid sieving material. See the abstract; Figure 1; col. 05:55-59; col. 05:13-27; col. 07:66 – col. 08:12; col. 09:33-54; col. 03:18-23; and col. 02:06-36.

Manz clearly intends for the device to be used. See the abstract and col. 03:25-57.

🧦 badse of domplante lexad and dhanging read divergity in Me Vertical

make body after the high of a medical process of the Cittle days

State that the area of the second property and the second planets.

Art Unit: 1753

12. Claims 6, 7, 28-32, 35, and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lee et al. (US 6,974,526 B2) ("Lee").

Addressing claims 6 and 7, Lee discloses a multidimensional electrophoresis device, for isoelectric focusing (IEF), or polyacrylamide gel electrophoresis (PAGE), or both of a fluid sample, comprising at least one microchannel having a length and a solid sieving material. See the abstract; Figures 2-9; col. 05:26-30; col. 01:25-37; col. 05:46-49; and col. 12:13-19.

Lee does not mention the claimed length ranges; however, Lee discloses that the channel widths may be only 5 microns wide and "The microchannels (e.g. 3, 4) can be nay suitable length." See col. 05:17-30. So barring evidence to the contrary, such as unexpected results, the claimed length ranges are either arbitrary, or just a matter of optimizing the microchannel length for improved separation to provide a smaller pH gradient, that is many isoelectric sections, or to increase the separation path for the gel electrophoresis, which will improve the resolution of the sample components.

Addressing claims 28-32, Lee does not mention the time for performing IEF, SDS-PAGE, or native PAGE. See col. 02:61-66. However, barring evidence to the contrary, such as unexpected results, the time for performing one of these separations will depend on the desired resolution and separation conditions optimized for this resolution. For example, it was known in the art that the higher the electrophoresis voltage the quicker the separation, however, resolution would be adversely affected at higher voltages because of Joule heating. Also, a shorter microchannel lengths will

areais which. It has five the resolution of the complete components

an in in its feet action and a graff a tobar

Art Unit: 1753

reduce the separation time however the separation resolution will not be as great as for longer microchannels, other things being equal.

Addressing claims 35 and 36, Lee discloses a multidimensional electrophoresis device, for isoelectric focusing (IEF), or polyacrylamide gel electrophoresis (PAGE), or both of a fluid sample, comprising at least one microchannel having a length and a solid sieving material. See the abstract; Figures 2-9; col. 05:26-30; col. 01:25-37; col. 05:46-49; and col. 12:13-19. Lee also discloses having the polymeric membrane be placed on top of the microchannel. See col. 02:20-33 and col. 07:52-65.

Lee clearly intends for the device to be used. See the abstract and col. 02:01 – 03:20: The plant with the house, which is a street as the abstract and col. 02:01 – 03:20:

and the new other thions being than

13. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Lee et al. (US 6.974,526 B2) ("Lee") in view of Mathies et al. (US 6,623,613 B1) ("Mathies").

entimes for is a facting facusing (IEF) for puly crytamide get metallication of a MAGE, p

Addressing claim 12, Lee discloses a multidimensional electrophoresis device, for isoelectric focusing (IEF), or polyacrylamide gel electrophoresis (PAGE), or both of a fluid sample, comprising at least one microchannel having a length and a solid sieving material. See the abstract; Figures 2-9; col. 05:26-30; col. 01:25-37; col. 05:46-49; and col. 12:13-19.

Lee does not mention having the plurality of microchanels comprise different solid sieving materials. However, Lee does discloses that for a particularly microfluidic network the solid sieving material may be selected form a variety for sieving materials. See col. 06:60-62.

Mathies discloses providing a plurality of independent microfluidic networks on a substrate. See the abstract and Figure 4.

It would have been obvious to one with ordinary skill in the art at the time of the invention to provide a plurality of microfluidic networks and thus microchannels as taught by Mathies in the invention of Lee because then a plurality of samples can be simultaneously analyzed.

It would have been further obvious to one with ordinary skill in the art at the time of the invention to use different solid sieving materials in at least some of the plurality of microfluidic networks because this will help optimize the microfluidic networks for analyzing different samples.

at see provious a parallel with of independent microfluidic networks on a

14. Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Lee et al. (US 6,974,526 B2) ("Lee") in view of Mathies et al. (US 6,623,613 B1) ("Mathies") as applied to claim 12 above, and further in view of Heller (US 6,488,832 B2).

case at the been observed to the with ordinary skill in the art of the time of the

Lee as modified by Mathies does not disclose having the solid sieving materials

Art Unit: 1753

200 - 17 23 - 10 - 1 - 100

be of varying concentrations of at least one polymer between about 4% to about 20%(wt/vol).

Heller discloses, "Gradient gel electrophoresis is a technique in which a gel matrix having an increasing concentration of polyacrylamide (3% to 40%) along the separation axis is used to separate macromolecules in a wide range of sizes." See col. 02:53 – col. 03:55.

It would have been obvious to one with ordinary skill in the art at the time of the invention to have the solid sieving materials be of varying concentration as taught by Heller in the invention of Lee as modified by Mathies because this will optimize the separation conditions for the samples. For example, Heller discloses that DNA separation can be optimized with a solid sieving material of varying concentration. See col. 03:06-56. As for the concentration being between about 4% to about 20%, this is within the range disclosed by Heller and so barring a showing of unexpected results just further optimization of the sieving material for the expected sample types.

with a cave been obvious to one with ordered skull in the most the time or the

the redd sie and collect the controller warrance were not that his tability by

15. Claims 9-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sanders et al. WO 02/48177 A10 ("Sanders") in view of Woudenberg et al. (US 6,660,147 B1) (Woudenberg") and Zhang et al. (US 6,464,850 B1) ("Zhang")

Sanders discloses a multidimensional electrophoresis device (16), for isoelectric

proper that we are fine sleving without for the expected are to a fine

focusing (IEF), or polyacrylamide gel electrophoresis (PAGE), or both of a fluid sample, comprising at least one microchannel having a length and a solid sieving material. See the abstract and page 05, lines 04-24. Note that claims 1 and 2 do not actually require polyacrylamide gel only that the device be capable of holding such a gel, which the device of Sanders is since the microchannel contains a separation gel throughout its length. Note also the disclosure of SDS on page 6., first full paragraph.

Sanders does not mention how the sieving material is made, particularly whether UV-initiated polymerization is used or the photoinitiator of claim 11. As a first matter, the additional limitations of claims 9 and 11 are product-by-process limitations that do not structurally or compositionally differentiate the solid sieving material from that of Sanders without some showing by Applicants. In any event, as shown by Woudenberg a variety of sieving materials such as UV-initiated polymerized polyacrylamide were used as electrophoresis media in a microchannel (see the abstract and col. 08:35-60) and as shown by Zhang a variety of initiators, such as 2,2"-Azobis(2-amidinopropane) dihydrochloride were known at the time of the invention for making electrophoresis media (abstract and col. 11:33-65). So, barring evidence to the contrary, such as unexpected results, the choice of gel, such as polyacrylamide from known electrophoresis media (sieving material) will just depend on the analyte and the separation conditions and the choice of how electrophoresis medium is made will depend on the electrophoresis medium chosen.

* E. C. p. materials (cont. 148 %)V-initiated polymerized polym

dina a vicas pro i Woveento

illais media in a microchannel (see the absolute media to 08:35-60)

The state of the s

and an election of the region and access to infinitors, such as 2,2'-Azobis(2) amidinoprepared

Art Unit: 1753

16. Claims 9-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wiktorowicz et al. (US 6,214,191 B1) ('Wiktorowicz") in view of Woudenberg et al. (US 6,660,147 B1) (Woudenberg") and Zhang et al. (US 6,464,850 B1) ("Zhang").

Wiktorowicz discloses a multidimensional electrophoresis device (100), for isoelectric focusing (IEF), or polyacrylamide gel electrophoresis (PAGE), or both of a fluid sample, comprising at least one microchannel having a length and a solid sieving material. See the abstract; Figure 4; col. 06: 27-38; col. 07:25-30; col. 07:63-67; col. 09:58 – col. 10:08; and col. 13:66 – col. 14:34.

Wiktorowicz does not mention how the sieving material is made, particularly whether UV-initiated polymerization is used or the photoinitiator of claim 11, although Wiktorowicz does disclose a variety of possible sieving materials including polyacrylamide. See col. 13: 66 – col. 14:24. As a first matter, the additional limitations of claims 9 and 11 are product-by-process limitations that do not structurally or compositionally differentiate the solid sieving material from that of Wiktorowicz without some showing by Applicants. In any event, as shown by Woudenberg a variety of sieving materials such as UV-initiated polymerized polyacrylamide were used as electrophoresis media in a microchannel (see the abstract and col. 08:35-60) and as shown by Zhang a variety of initiators, such as 2,2-Azobis(2-amidinopropane) dihydrochloride were known at the time of the invention for making electrophoresis media (abstract and col. 11:33-65). So, barring evidence to the contrary, such as unexpected results, the Choice of gel, such as polyacrylamide from known electrophoresis media (sieving material) will just depend on the analyte and the

No 20 to include that the contractions in

Art Unit: 1753

separation conditions (Wiktorowicz col. 13:66 – col. 14:24) and the choice of how electrophoresis medium is made will depend on the electrophoresis medium chosen.

17. Claims 9-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Manz et al. (US 5,599,432) ("Manz") in view of Woudenberg et al. (US 6,660,147 B1) (Woudenberg") and Zhang et al. (US 6,464,850 B1) ("Zhang").

Manz discloses a multidimensional electrophoresis device (Figure 1), for isoelectric focusing (IEF), or polyacrylamide gel electrophoresis (PAGE), or both of a fluid sample, comprising at least one microchannel having a length and a solid sieving material. See the abstract; Figure 1, col. 05:55-59; col. 05:13-27; col. 07:66 – col. 08:12; col. 09:33-54; col. 03:18-23; and col. 02:06-36.

Manz does not mention how the sieving material is made, particularly whether UV-initiated polymerization is used or the photoinitiator of claim 11, although Manz does disclose that a variety of sieving materials may be used including polyacrylamide. See col. 09:33–42; col. 06:12-25; and col. 02:06-18. As a first matter, the additional limitations of claims 9 and 11 are product-by-process limitations that do not structurally or compositionally differentiate the solid sieving material from that of Manz without some showing by Applicants. In any event, as shown by Woudenberg a variety of sieving materials such as UV-initiated polymerized polyacrylamide were used as electrophoresis media in a microchannel (see the abstract and col. 08:35-60) and as

19-5-4: col. 00 (0-10-10) a col. 02:06-36

Modern to some mention how the sleving material isomatic bacticularly whether

the latter of ation is up at all the latter of object the although Manz does

in i Number: 10/aud 9/3

Art Unit: 1753

shown by Zhang a variety of initiators, such as 2,2'-Azobis(2-amidinopropane) dihydrochloride were known at the time of the invention for making electrophoresis media (abstract and col. 11:33-65). So, barring evidence to the contrary, such as unexpected results, the choice of gel, such as polyacrylamide from known electrophoresis media (sieving material) will just depend on the analyte and the separation conditions (Manz col. 09:40-46) and the choice of how electrophoresis medium is made will depend on the electrophoresis medium chosen.

18. Claims 9-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lee et al. (US 6,974,526 B2) ("Lee") in view of Woudenberg et al. (US 6,660,147 B1) (Woudenberg") and Zhang et al. (US 6,464,850 B1) ("Zhang").

Lee discloses a multidimensional electrophoresis device, for isoelectric focusing (IEF), or polyacrylamide gel electrophoresis (PAGE), or both of a fluid sample, comprising at least one microchannel having a length and a solid sieving material. See the abstract; Figures 2-9; col. 05:26-30; col. 01:25-37; col. 05:46-49; and col. 12:13-19.

Lee does not mention how the sieving material is made, particularly whether UV-initiated polymerization is used or the photoinitiator of claim 11, although Lee does a variety of possible sieving materials including polyacrylamide. See col. 03:08-13 and claim 12. As a first matter, the additional limitations of claims 9 and 11 are product-by-

ter net le let a multidinaer sich al. Te na prioresis devi

Art Unit: 1753

process limitations that do not structurally or compositionally differentiate the solid sieving material from that of Lee without some showing by Applicants. In any event, as shown by Woudenberg a variety of sieving materials such as UV-initiated polymerized polyacrylamide were used as electrophoresis media in a microchannel (see the abstract and col. 08:35-60) and as shown by Zhang a variety of initiators, such as 2,2'-Azobis(2-amidinopropane) dihydrochloride were known at the time of the invention for making electrophoresis media (abstract and col. 11:33-65). So, barring evidence to the contrary, such as unexpected results, the choice of gel, such as polyacrylamide from known electrophoresis media (sieving material) will just depend on the analyte and the separation conditions and the choice of how electrophoresis medium is made will depend on the electrophoresis medium chosen.

strong the contents a called as a materials such as UV-initialed polymonics.

andt of Lee without some snowing by Application

and tell of rest in and as shown by thang a variety of initiators, such as 2.2'-Azobist2-

19. Claims 13-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Manz et al. (US 5,599,432) ("Manz") in view of Heller (US 6,488,832 B2).

Manz discloses a multidimensional electrophoresis device (Figure 1), for isoelectric focusing (IEF), or polyacrylamide gel electrophoresis (PAGE), or both of a fluid sample, comprising at least one microchannel having a length and a solid sieving material. See the abstract, Figure 1, col. 05:55-59; col. 05:13-27; col. 07:66 – col. 08:12; col. 09:33-54; col. 03:18-23; and col. 02:06-36.

Art Unit: 1753

2.37

Manz also discloses providing different solid sieving materials. See claim 11 of Manz.

Manz does not disclose having the solid sieving materials be of varying concentrations of at least one polymer between about 4% to about 20%(wt/vol).

Heller discloses, "Gradient gel electrophoresis is a technique in which a gel matrix having an increasing concentration of polyacrylamide (3% to 40%) along the separation axis is used to separate macromolecules in a wide range of sizes." See col. 02:53 - col. 03:55.

It would have been obvious to one with ordinary skill in the art at the time of the invention to have the solid sieving materials be of varying concentration as taught by Heller in the invention of Manz because this will optimize the separation conditions for the samples. For example, Heller discloses that DNA separation can be optimized with a solid sieving material of varying concentration. See col. 03:06-56. As for the concentration being between about 4% to about 20%, this is within the range disclosed by Heller and so barring a showing of unexpected results just further optimization of the sieving material for the expected sample types.

There is not a been obvious to one with or first of a likely and provide and been of the

Claims 14 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable 20. over Lee et al. (US 6,974,526 B2) ("Lee") in view of Mathies et al. (US 6,623,613 B1) ("Mathies") in view of Heller (US 6,488,832 B2).

uniterial of varying concentration. She coll on the 58 TAs for the

the appearance of the myear around a more than the region of discussed

Called the second of the secon

The property of the control of the c

Application/Control Number: 10/646,808 Page 26

Art Unit: 1753

Lee as modified by Mathies does not disclose having the solid sieving materials be of varying concentrations of at least one polymer between about 4% to about 20%(wt/vol).

Heller discloses, "Gradient gel electrophoresis is a technique in which a gel matrix having an increasing concentration of polyacrylamide (3% to 40%) along the separation axis is used to separate macromolecules in a wide range of sizes." See col. 02:53 – col. 03:55.

It would have been obvious to one with ordinary skill in the art at the time of the invention to have the solid sieving materials be of varying concentration as taught by Heller in the invention of Lee as modified by Mathies because this will optimize the separation conditions for the samples. For example, Heller discloses that DNA separation can be optimized with a solid sieving material of varying concentration. See col. 03:06-56. As for the concentration being between about 4% to about 20%, this is within the range disclosed by Heller and so barring a showing of unexpected results just further optimization of the sieving material for the expected sample types.

use to separt and harmonic countries.

21. Claim 40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lee et al. (US 6,974,526 B2) ("Lee") in view of Andersson et al. (US 6,812,456 B2) ("Andersson").

is weather this been of the enter with ordinary skill in the acceptate time of the

and any composed by Hemmilland so barring a chowing or little specied results just

TO PROPERTY OF THE BOOK OF THE SHOPP $x \in \mathbb{R}^n \setminus 20\%$ (This is

and the state of the many of the same of the state of the same state of the same of the same state of

the sieving material for the expected sample of

Art Unit: 1753

Lee discloses a kit comprising multidimensional electrophoresis device, for isoelectric focusing (IEF), or polyacrylamide gel electrophoresis (PAGE), or both of a fluid sample, comprising at least one microchannel having a length and a solid sieving material. See the abstract; Figures 2-9; col. 05:26-30; col. 01:25-37; col. 05:46-49; and col. 12:13-19.

Lee also discloses including in the kit at least one reagent necessary for conducting IEF of PAGE separations. See col. 05:45-49 and col. 06:13-20.

Lee does not mention injecting the fluid sample into the multidimensional device.

Andersson discloses a kit comprising multidimensional microfluidic device for analyzing fluid and means for injecting the fluid sample into the multidimensional device. See the abstract and col. 20:36-46. It would have been obvious to one with ordinary skill in the art to include in the kit of Lee the means for injecting fluid sample as taught by Andersson because then the sample and reagents can be automatically and accurately injected in the device.

22. Any inquiry concerning this communication or earlier communications from the examiner should be directed to ALEX NOGUEROLA whose telephone number is (571) 272-1343. The examiner can normally be reached on M-F 8:30 - 5:00.

.

or error or or truse than the complet and treagents can be automatically rand

The figure of the state of the

A A matamate device.

Application/Control Number: 10/646,808 Page 28

Art Unit: 1753

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, NAM NGUYEN can be reached on (571) 272-1342. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Examplication or proceeding is as 15 371.07%

See Kilomateria (1944) 1945 (1945) 1950 (1945) 1950 (1946) 1950

white he can be applied in the control of the the famous

The second secon

The challenger was a common field the PAIR State Common State Common Advanced to

thanke through Private PAIR only of the chord had a small properties from

The Land Continue of the Conti

Alex Noguerola
Primary Examiner

AU 1753

November 4, 2006